



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/186,475	11/04/1998	ANNIE FONG	238/046	1830
7590 05/18/2004		EXAMINER		
BETH A. BURROUS FOLEY & LARDNER WASHINGTON HARBOUR 3000 K STREET, N.W., SUITE 500 WASHINGTON, DC 20007-5109			CANELLA, KAREN A	
			ART UNIT	PAPER NUMBER
			1642	
			DATE MAILED: 05/18/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		09/186,475	FONG ET AL.				
		Examiner	Art Unit				
		Karen A Canella	1642				
Period fo	The MAILING DATE of this communication app						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)	Responsive to communication(s) filed on	<u>_</u> .					
2a)⊠	This action is <b>FINAL</b> . 2b) This action is non-final.						
3)	7.2 State of the mental of the mental of the mental of						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims						
4)	4) Claim(s) <u>1-3,6,8-11,16,18-20,23,27,28,31 and 32</u> is/are pending in the application.						
	4a) Of the above claim(s) 19, 20, 27, and 32 is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
6)[	6)  Claim(s) <u>1-3,6,8-11,16,18,23,28 and 31</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)[	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority ι	ınder 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment	t(s)						
1) 🔲 Notic	e of References Cited (PTO-892)	4) 🔲 Interview Summary (	(PTO-413)				
2)  Notice 3) Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 'No(s)/Mail Date	Paper No(s)/Mail Dai	te atent Application (PTO-152)				

Art Unit: 1642

## **DETAILED ACTION**

- 1. Claims 1, 6, 8, 18, 23 and 28 have been amended. Claims 17, 21, 24, 29 and 30 have been canceled. Claims 1-3, 6, 8-11, 16, 18-20, 23, 27, 28, 31 and 32 are pending. Claims 19, 20, 27, and 32, drawn to non-elected inventions, remain withdrawn from consideration. Claims 1-3, 6, 8-11, 16, 18, 23, 28 and 31 are under consideration.
- 2. The text of those sections of Title 35 U.S. code not included in this Office action can be found in a prior Office action.
- The rejection of claim 31 under 112, second paragraph is maintained for reasons of record. Applicant argues that the specification clearly defines the minimal dose as the point where the curve begins to slope downward, and that the maxima dose is where the curve begins to flatten out. This ha been considered but not found persuasive. Firstly, the point at which the curve "begins" to flatten out, or slope downward is a mathematical determination of the change in slope of a line in a curve. The metes and bound of a change in slope to, or a downward slope cannot be determined without the specific limitations of the abscissa and ordinate which constitute points on the curve. Further, even if the specific units of the abscissa and ordinate wee defined by the specification, the limitations of "beginning to slope downward" or "beginning to flatten out" are not part of the claim limitations.
- 4. The rejection of claims 1-3, 9-11, 16, 18, 23, 28, 31 and 32 under 35 U.S.C. 103(a) as being obvious over Tang et al (US 5,880,141) in view of Foulkes et al (US 5,580,722) is maintained for reasons of record. Amended claims 6, 8 are also rejected for the same reasons of record.

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter

Art Unit: 1642

disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). For applications filed on or after November 29, 1999, this rejection might also be overcome by showing that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. See MPEP § 706.02(1)(1) and § 706.02(1)(2).

Claim 1 is drawn to a method of determining an efficacious dose of a compound administered to a subject for the purpose of modulating angiogenesis comprising the steps of (a) administering the compound to a patient wherein the compound is a receptor antagonist that inhibits a receptor involved in angiogenesis, (b) monitoring a marker selected from the group consisting of tissue factor, CD40, u-PA, ETS-1, IL8 and t-PA, (c) constructing a standard curve and (d) determining the efficacious dose based on the standard curve. claim 1 is examined to the extent that is reads on compound A. claim 2 embodies the method of claim 1 wherein conditions associated with angiogenesis include cell proliferation. Claim 3 embodies the method of claim 3 wherein the conditions associated with cell proliferation are cancer, arthritis, and endometriosis and ocular neovascularization. Claim 9 embodies the method of claim 1 wherein the marker is present in a sample obtained from said subject. Claim 10 is examined to the extent that is reads on whole blood and fractions thereof. Claim 11 embodies the method of claim 10 wherein the sample comprises monocytes. Claim 16 is examined to the extent that it reads on the detection of a protein marker. claim 17 embodies the method of claim 1 wherein the step of monitoring a marker comprises the step of determining the presence or amount of said marker. Claim 18 embodies the method of claim 17 wherein the presence or amount of said marker is detecting by an antibody. Claim 23 embodies the method of claims 16-18 wherein said marker is present in a sample collected from a subject. Claim 23 is examined to the extent that it reads on whole blood or fractions thereof which are collect3ed from a subject. Claim 24 embodies the method of claim 1 wherein the step of monitoring a marker related to angiogenesis comprises the step of comparing said marker to a standard. Claim 28 is drawn to the method of claim 1 and is

Art Unit: 1642

examined to the extent that it reads on detecting the marker with antibodies, enzyme-linked immunosorbent assay, solid phase enzyme immunoassay with polyclonal antisera. Claim 29 embodies the method of claim 1 wherein said efficacious dose is where additional amounts of drug cause a downward slope of greater than 5% in said standard. Claim 30 is drawn to the method of claim 1 wherein additional amounts of the drug causes a change of less than 5% in the slope of said standard. Claim 31 embodies the method of claim 1 wherein said efficacious dose is between minimal and maximal dose. claim 32 embodies the method of claim 1 wherein said marker is tissue factor.

Tang et al teach a method for screening for compounds having protein tyrosine kinase inhibitory activity by means of in vivo experiments (column 7, lines 47-54). Tang et al teach that compound A is a compound which is capable of regulating and or inhibiting tyrosine kinase signal transduction (column 3, lines 35-67). Note that column 3, line 58 indicates that X is "O", and R1 is a 5 membered heteroaryl, substitutes with C-alkly, and that R2-R5 is hydrogen. Tang et al teach that the disclosed tyrosine kinase inhibitors are intended for use in methods for treating diseases comprising proliferation or metabolic disorders, for example cancer, fibrosis, psoriasis, atherosclerosis, arthritis, and other disorders related to abnormal vasculogenesis and/or angiogenesis, such as diabetic retinopathy (column 4, lines 32-37) and that tyrosine kinase signal transduction controls cell proliferation and differentiation and that abnormal cell proliferation may result in a wide array of disorders and diseases, including the development of neoplasia such as carcinoma, sarcoma, leukemia, glioblastoma, hemangioma, psoriasis, arteriosclerosis, arthritis and diabetic retinopathy (or other disorders related to uncontrolled angiogenesis and/or vasculogenesis) (column 6, lines 22-29). Tang et al teach that the determination of the effective amounts is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided (column 12, lines 50-53) and that the therapeutically effective dose can be estimated initially from cell culture assays followed by a preclinical assay wherein a dose can be formulated in an animal model to achieve a circulating concentration range that includes the IC. 50 as determined in cell culture (i.e., the concentration of the test compound which achieves a half-maximal inhibition of the PTK activity) and that such information can be used to more accurately determine useful doses in humans. Tang et al teach that a therapeutically effective dose refers to that amount of the compound that results in amelioration of symptoms or a

Art Unit: 1642

prolongation of survival in a patient and that toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, e.g., for determining the LD..50 (the dose lethal to 50% of the population) and the ED..50 (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio between LD 50 and ED. 50. Compounds which exhibit high therapeutic indices are preferred. The data obtained from cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED 50 with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition (column 12, line 63-column 13, line 16). Tang et al also teach that dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the kinase modulating effects, or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from in vitro data; e.g. the concentration necessary to achieve 50-90% inhibition of the kinase using the assays described herein. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration and that bioassays can be used to determine plasma concentrations (column 13, lines 17-27). Tang et al do not specifically recite the limitation of determining a standard curve and determining the efficacious dose based on said standard curve, although the limitations appear to be inherent within the method disclosed by Tang et al. Tang et al teach the monitoring of receptor tyrosine kinase activity in cell lines by means of antibody-based detection systems (beginning in column 14, within section 6, entitled "RTK assays"). Tang et al do not teach the method wherein whole blood or fractions thereof are monitored by detecting the presence or amount of t-PA, u-PA or tissue factor.

It is noted that Tang et al teach that uncontrolled cellular proliferation can lead to atherosclerosis and vasculogenesis. Foulkes et al teach a method for modulating genes that encode a protein of interest associated with the treatment of atherosclerosis or restinosis (abstract). Foulkes et al teach that monocyte attach to the endothelium and enter into the arterial wall (column 2, lines 3-6). Foulkes et al teach that atherosclerotic plaques develop into

Art Unit: 1642

thrombogenic plaques (column 6, lines 21-34) and that t-PA, u-PA and tissue factor as proteins which are associated with thrombosis (column 21, lines 55-67). Foulkes et la specifically teach that the plasminogen activators such as t-PA are anti-thrombogenic and plasminogen activator inhibitor is associated with thrombosis (column 6, lines 15-20).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the claimed invention was made to determine an efficacious dose for the purpose of modulating angiogenesis, comprising administering to a subject compound A, monitoring a marker in the blood or a fraction thereof taken from said patient, wherein the marker is selected from the group consisting of tissue factor, u-PA and t-PA. One of ordinary skill in the art would have been motivated to do so with a reasonable expectation of success by the teachings of Foulkes et al on u-PA, t-PA and tissue factor as proteins of interest with respect to the condition of thrombosis, and the correlation between thrombosis and atherosclerosis restinosis; and the teachings of Tang et al on methods of determining an efficacious dose of protein kinase inhibitor, and the association between cell proliferation, angiogenesis, and atherosclerosis.

5. The rejections of claims 1-3, 9-11, 16, 18, 23, 28, 31 and 32 under 35 U.S.C. 103(a) as being obvious over Tang et al (US 5,880,141) in view of the abstract of Peirce et al (Glycoconjugate Journal, 1997, Vol. 14, pp. 623-630) and Galan et al (Journal of Biological chemistry, 1996, Vol. 271, pp. 7992-7998) is maintained for reasons of record. Amended claims 6 and 8 are also rejected for the same reasons of record.

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in

Art Unit: 1642

accordance with 37 CFR 1.321(c). For applications filed on or after November 29, 1999, this rejection might also be overcome by showing that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. See MPEP § 706.02(l)(1) and § 706.02(l)(2).

Claim 1 is drawn to a method of determining an efficacious dose of a compound administered to a subject for the purpose of modulating angiogenesis comprising the steps of (a) administering the compound to a patient wherein the compound is a receptor antagonist that inhibits a receptor involved in angiogenesis, (b) monitoring a marker selected from the group consisting of tissue factor, CD40, u-PA, ETS-1, IL8 and t-PA, (c) constructing a standard curve and (d) determining the efficacious dose based on the standard curve. claim 1 is examined to the extent that is reads on compound A. claim 2 embodies the method of claim 1 wherein conditions associated with angiogenesis include cell proliferation. Claim 3 embodies the method of claim 3 wherein the conditions associated with cell proliferation are cancer, arthritis, and endometriosis and ocular neovascularization. Claim 9 embodies the method of claim 1 wherein the marker is present in a sample obtained from said subject. Claim 10 is examined to the extent that is reads on whole blood and fractions thereof. Claim 11 embodies the method of claim 10 wherein the sample comprises monocytes. Claim 16 is examined to the extent that it reads on the detection of a protein marker. claim 17 embodies the method of claim 1 wherein the step of monitoring a marker comprises the step of determining the presence or amount of said marker. Claim 18 embodies the method of claim 17 wherein the presence or amount of said marker is detecting by an antibody. Claim 23 embodies the method of claims 16-18 wherein said marker is present in a sample collected from a subject. Claim 23 is examined to the extent that it reads on whole blood or fractions thereof which are collect3ed from a subject. Claim 24 embodies the method of claim 1 wherein the step of monitoring a marker related to angiogenesis comprises the step of comparing said marker to a standard. Claim 28 is drawn to the method of claim 1 and is examined to the extent that it reads on detecting the marker with antibodies, enzyme-linked immunosorbent assay, solid phase enzyme immunoassay with polyclonal antisera. Claim 29 embodies the method of claim 1 wherein said efficacious dose is where additional amounts of drug cause a downward slope of greater than 5% in said standard. Claim 30 is drawn to the

Art Unit: 1642

method of claim 1 wherein additional amounts of the drug causes a change of less than 5% in the slope of said standard. Claim 31 embodies the method of claim 1 wherein said efficacious dose is between minimal and maximal dose. claim 32 embodies the method of claim 1 wherein said marker is tissue factor.

Tang et al teach a method for screening for compounds having protein tyrosine kinase inhibitory activity by means of in vivo experiments (column 7, lines 47-54). Tang et al teach that compound A is a compound which is capable of regulating and or inhibiting tyrosine kinase signal transduction (column 3, lines 35-67). Note that column 3, line 58 indicates that X is "O", and R1 is a 5 membered heteroaryl, substitutes with C-alkly, and that R2-R5 is hydrogen. Tang et al teach that the disclosed tyrosine kinase inhibitors are intended for use in methods for treating diseases comprising proliferation or metabolic disorders, for example cancer, fibrosis, psoriasis, atherosclerosis, arthritis, and other disorders related to abnormal vasculogenesis and/or angiogenesis, such as diabetic retinopathy (column 4, lines 32-37) and that tyrosine kinase signal transduction controls cell proliferation and differentiation and that abnormal cell proliferation may result in a wide array of disorders and diseases, including the development of neoplasia such as carcinoma, sarcoma, leukemia, glioblastoma, hemangioma, psoriasis, arteriosclerosis, arthritis and diabetic retinopathy (or other disorders related to uncontrolled angiogenesis and/or vasculogenesis) (column 6, lines 22-29). Tang et al teach that the determination of the effective amounts is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided (column 12, lines 50-53) and that the therapeutically effective dose can be estimated initially from cell culture assays followed by a preclinical assay wherein a dose can be formulated in an animal model to achieve a circulating concentration range that includes the IC. 50 as determined in cell culture (i.e., the concentration of the test compound which achieves a half-maximal inhibition of the PTK activity) and that such information can be used to more accurately determine useful doses in humans. Tang et al teach that a therapeutically effective dose refers to that amount of the compound that results in amelioration of symptoms or a prolongation of survival in a patient and that toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, e.g., for determining the LD..50 (the dose lethal to 50% of the population) and the ED..50 (the dose therapeutically effective in 50% of the population). The dose ratio between

Art Unit: 1642

toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio between LD 50 and ED. 50. Compounds which exhibit high therapeutic indices are preferred. The data obtained from cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED 50 with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition (column 12, line 63-column 13, line 16). Tang et al also teach that dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the kinase modulating effects. or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from in vitro data; e.g. the concentration necessary to achieve 50-90% inhibition of the kinase using the assays described herein. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration and that bioassays can be used to determine plasma concentrations (column 13, lines 17-27). Tang et al do not specifically recite the limitation of determining a standard curve and determining the efficacious dose based on said standard curve, although the limitations appear to be inherent within the method disclosed by Tang et al. Tang et al teach the monitoring of receptor tyrosine kinase activity in cell lines by means of antibody-based detection systems (beginning in column 14, within section 6, entitled "RTK assays"). Tang et al do not teach the method wherein whole blood or fractions thereof are monitored by detecting the presence or amount of ETS-1.

The abstract of Pierce et al teaches that the ETS family of transcriptional activators are upregulated through growth factor receptors that activate tyrosine kinases.

Galang et al teach that ETS is the downstream target of the Neu oncogene and that intervention in the upregulation of ETS may be a useful in therapy for Neu associated cancers (abstract)

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the claimed invention was made to determine an efficacious dose for the purpose of modulating angiogenesis, comprising administering to a subject compound A, monitoring a marker in the blood or a fraction thereof taken from said patient, wherein the marker is ETS-1. One of

Art Unit: 1642

ordinary skill in the art would have been motivated to do so with a reasonable expectation of success by the teachings of the abstract of Pierce et al on the activation of ETS by tyrosine kinases and the teachings of Galang et al on the association between ETS activation and cellular transformation and the suggestion of Galang et al that therapeutic intervention in Neu associated cancers be targeted to the downstream targets of Neu which include the ETS transcription factors.

- 6. Applicant has provided a declaration stating that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. However, the instant application was filed on November 4, 1998 and is claiming and effective filing date November 7, 1997 via provisional application 60/064,935. Accordingly, the rejection is maintained for reasons of record because the instant application was not filed on or after November 29, 1999.
- 7. All other rejections or objections as set forth in the previous Office action are withdrawn in light of applicants amendments.

## Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1642

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karen A Canella whose telephone number is (571)272-0828. The examiner can normally be reached on 10 a.m. to 9 p.m. M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on (571)272-0841. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karen A. Canella, Ph.D. 05/16/2004

KARENA. CANELLA PH.D
PRIMARY EXAMINER